

Technical factsheet



Sit-on basin

SET.AB.KE325

Sink-faucet-sets

Item Number: 0633001000

Characteristics


| | |
|-------------------|--|
| Model description | SET.AB.KE325 |
| Item Number | 0633001000 |
| Material basin | glazed steel |
| | white |
| Coating | ProShield |
| | 110 mm |
| Type of flow | circular, air-enriched flow |
| | 320 mm |
| | 258 mm |
| | 32 mm |
| | 36 mm |
| Flow rate max. | 5 l/min |
| | 2x screw-in M 10 x 1 pressure hose, leak-tested |
| Dimensions | w/h/d 325 mm/106 mm/325 mm |
| Form | round |
| Hole | without tap hole |
| Overflow | without overflow |
| Net weight | 5,2 kg |
| Note | with single-lever basin mixer with raised base without pop-up waste aerator adjustable -10° to +10° |

Fittings information

Impact area 85 mm - 120 mm
from rear edge of basin

Optimal impact on the basin mould with fittings that have a vertical outlet (90 ° angle of impact) and a built-in aerator.

Flow rate chart



Product/tender specifications

Sit-on basin

SET.AB.KE325

Sink-faucet-sets

Item Number:

0633001000

Text

Sit-on basin, round, Ø 325 mm, height 106 mm, glazed steel, white, ProShield, without tap hole, without overflow, inklusive fixing set, drain valve, valve cap, white glazed, Ø 63 mm, black spacer ring, with single-lever basin mixer with raised base without pop-up waste, Chrome, projection 110 mm, tap height 320 mm, height to aerator 258 mm, spout rigid, circular, air-enriched flow, aerator adjustable -10° to +10°, flow rate max. 5 l/min, 2x screw-in M 10 x 1 pressure hose, leak-tested, connection thread 3/8", hole diameter 32 - 36 mm
