

Technical factsheet



Sit-on basin

SET.AB.KE325

Sink-faucet-sets

Item Number:

0633002000

Characteristics


Model description	SET.AB.KE325
Item Number	0633002000
Material basin	glazed steel
	white
Coating	ProShield
	110 mm
Type of flow	circular, air-enriched flow
	320 mm
	258 mm
	32 mm
	36 mm
Flow rate max.	5 l/min
	2x screw-in M 10 x 1 pressure hose, leak-tested
Dimensions	w/h/d 325 mm/106 mm/325 mm
Form	round
Hole	without tap hole
Overflow	without overflow
Net weight	5,2 kg
Note	with single-lever basin mixer with raised base without pop-up waste aerator adjustable -10° to +10°

Fittings information

Impact area 85 mm - 120 mm
from rear edge of basin

Optimal impact on the basin mould with fittings that have a vertical outlet (90 ° angle of impact) and a built-in aerator.

Flow rate chart



Product/tender specifications

Sit-on basin

SET.AB.KE325

Sink-faucet-sets

Item Number:

0633002000

Text

Sit-on basin, round, Ø 325 mm, height 106 mm, glazed steel, white, ProShield, without tap hole, without overflow, inklusive fixing set, drain valve, valve cap, white glazed, Ø 63 mm, black spacer ring, with single-lever basin mixer with raised base without pop-up waste, Matt black, projection 110 mm, tap height 320 mm, height to aerator 258 mm, spout rigid, circular, air-enriched flow, aerator adjustable -10° to +10°, flow rate max. 5 l/min, 2x screw-in M 10 x 1 pressure hose, leak-tested, connection thread 3/8", hole diameter 32 - 36 mm
