

# **Technical factsheet**



Sit-on basin SET.AB.KE325 Sink-faucet-sets Item Number:

0633002000

### Characteristics

Model description SET.AB.KE325 Item Number 0633002000 Material basin glazed steel white ProShield Coating 110 mm Type of flow circular, air-enriched flow 320 mm 258 mm 32 mm 36 mm Flow rate max. 5 l/min 2x screw-in M 10 x 1 pressure hose, leak-tested Dimensions w/h/d 325 mm/106 mm/325 mm Form round without tap hole Hole Overflow without overflow Net weight 5,2 kg Note with single-lever basin mixer with raised base without popup waste aerator adjustable -10° to +10°


#### **Fittings information**

Impact area 85 mm - 120 mm from rear edge of basin

Optimal impact on the basin mould with fittings that have a vertical outlet (90  $^\circ$  angle of impact) and a built-in aerator.



## Flow rate chart



## **Product/tender specifications**

Sit-on basin SET.AB.KE325 Sink-faucet-sets Item Number:

0633002000

Text

We reserve the right to change designs, product range and technical specifications without prior notice. More information can be found at: www.alape.com +49 (0) 5321 558-0 info@alape.com



Sit-on basin, round, Ø 325 mm, height 106 mm, glazed steel, white, ProShield, without tap hole, without overflow, inklusive fixing set, drain valve, valve cap, white glazed, Ø 63 mm, black spacer ring, with single-lever basin mixer with raised base without pop-up waste, Matt black, projection 110 mm, tap height 320 mm, height to aerator 258 mm, spout rigid, circular, air-enriched flow, aerator adjustable -10° to +10°, flow rate max. 5 l/min, 2x screw-in M 10 x 1 pressure hose, leak-tested, connection thread 3/8", hole diameter 32 - 36 mm