

Technical factsheet



Sit-on basin SET.AB.KE375 Sink-faucet-sets

Item Number: 0634002000

Characteristics

Model description Item Number Material basin

Coating

Type of flow

Flow rate max.

Dimensions Form Hole Overflow Net weight Note SET.AB.KE375 0634002000 glazed steel white ProShield 110 mm

circular, air-enriched flow

320 mm 258 mm 32 mm 36 mm 5 l/min

2x screw-in M 10 x 1 pressure hose, leak-tested

w/h/d 375 mm/116 mm/375 mm

round

without tap hole without overflow

6,2 kg

with single-lever basin mixer with raised base without pop-

up waste

aerator adjustable -10° to +10°


Fittings information

Optimal impact on the basin mould with fittings that have a vertical outlet (90 $^{\circ}$ angle of impact) and a built-in aerator.

Impact area 85 mm - 120 mm from rear edge of basin



Flow rate chart



Product/tender specifications

Sit-on basin SET.AB.KE375 Sink-faucet-sets

Item Number: 0634002000

Text

Alape

Sit-on basin, round, \emptyset 375 mm, height 116 mm, glazed steel, white, ProShield, without tap hole, without overflow, inklusive fixing set, drain valve, valve cap, white glazed, \emptyset 63 mm, black spacer ring, with single-lever basin mixer with raised base without pop-up waste, Matt black, projection 110 mm, tap height 320 mm, height to aerator 258 mm, spout rigid, circular, air-enriched flow, aerator adjustable -10° to +10°, flow rate max. 5 l/min, 2x screw-in M 10 x 1 pressure hose, leak-tested, connection thread 3/8", hole diameter 32 - 36 mm