

Technical factsheet



Dish basin SET.SB.K300.GS Sink-faucet-sets

Item Number: 0635001000

Characteristics

Model description Item Number Material basin

Coating

Type of flow

Flow rate max.

Dimensions Form Hole Overflow Net weight Note SET.SB.K300.GS 0635001000 glazed steel white ProShield 110 mm

circular, air-enriched flow

320 mm 258 mm 32 mm 36 mm 5 l/min

2x screw-in M 10 x 1 pressure hose, leak-tested

w/h/d 300 mm/110 mm/300 mm

round

without tap hole without overflow

3,6 kg

with single-lever basin mixer with raised base without pop-

up waste

aerator adjustable -10° to +10°


Fittings information

Optimal impact on the basin mould with fittings that have a vertical outlet (90 $^{\circ}$ angle of impact) and a built-in aerator.

Impact area 85 mm - 120 mm from rear edge of basin



Flow rate chart



Product/tender specifications

Dish basin SET.SB.K300.GS Sink-faucet-sets

Item Number: 0635001000

Text

Alape

Dish basin, round, \emptyset 300 mm, height 110 mm, glazed steel, white, ProShield, without tap hole, without overflow, inklusive fixing set, drain valve, valve cap, white glazed, \emptyset 63 mm, white spacer ring, with single-lever basin mixer with raised base without pop-up waste, Chrome, projection 110 mm, tap height 320 mm, height to aerator 258 mm, spout rigid, circular, airenriched flow, aerator adjustable -10° to +10°, flow rate max. 5 l/min, 2x screw-in M 10 x 1 pressure hose, leak-tested, connection thread 3/8", hole diameter 32 - 36 mm

We reserve the right to change designs, product range and technical specifications without prior notice. More information can be found at: www.alape.com +49 (0) 5321 558-0 info@alape.com

Date 03.05.2024