# **Alape**

### **Technical factsheet**



Dish basin SET.SB.K360.GS Sink-faucet-sets

Item Number: 0636002000

#### **Characteristics**

Model description Item Number Material basin

Coating

Type of flow

Flow rate max.

Dimensions Form Hole Overflow Net weight Note SET.SB.K360.GS 0636002000 glazed steel white ProShield

circular, air-enriched flow

320 mm 258 mm 32 mm 36 mm 5 l/min

110 mm

2x screw-in M 10 x 1 pressure hose, leak-tested

w/h/d 360 mm/130 mm/360 mm

round

without tap hole without overflow

4,6 kg

with single-lever basin mixer with raised base without pop-

up waste

aerator adjustable -10° to +10°


#### Fittings information

Optimal impact on the basin mould with fittings that have a vertical outlet (90  $^{\circ}$  angle of impact) and a built-in aerator.

Impact area 85 mm - 120 mm from rear edge of basin



#### Flow rate chart



### **Product/tender specifications**

Dish basin SET.SB.K360.GS Sink-faucet-sets Item Number:

0636002000

Text

# **Alape**

Dish basin, round,  $\emptyset$  360 mm, height 130 mm, glazed steel, white, ProShield, without tap hole, without overflow, inklusive fixing set, drain valve, valve cap, white glazed,  $\emptyset$  63 mm, white spacer ring, with single-lever basin mixer with raised base without pop-up waste, Matt black, projection 110 mm, tap height 320 mm, height to aerator 258 mm, spout rigid, circular, air-enriched flow, aerator adjustable -10° to +10°, flow rate max. 5 l/min, 2x screw-in M 10 x 1 pressure hose, leak-tested, connection thread 3/8", hole diameter 32 - 36 mm

We reserve the right to change designs, product range and technical specifications without prior notice. More information can be found at: www.alape.com +49 (0) 5321 558-0 info@alape.com

Date 30.04.2024