

Technical factsheet



Washplace
SET.WP.Insert1
Sink-faucet-sets
 Item Number:

0637002000

Characteristics


| | |
|--------------------|---|
| Model description | SET.WP.Insert1 |
| Item Number | 0637002000 |
| Material basin | glazed steel |
| | white |
| Coating | ProShield |
| | 110 mm |
| Type of flow | circular, air-enriched flow |
| | 160 mm |
| | 98 mm |
| | 32 mm |
| | 36 mm |
| Flow rate max. | 5 l/min |
| Furniture material | 2x screw-in M 10 x 1 pressure hose, leak-tested |
| | chrome steel |
| | powder finish |
| | white |
| Dimensions | w/h/d 485 mm/471 mm/321 mm |
| Form | rectangular |
| Hole | with one tap hole |
| Overflow | without overflow |
| Net weight | 13,9 kg |
| Note | with single-lever basin mixer without pop-up waste aerator adjustable -10° to +10° |

Fittings information

Impact area 85 mm - 120 mm
 from rear edge of basin

Optimal impact on the basin mould with fittings that have a vertical outlet (90 ° angle of impact) and a built-in aerator.

Flow rate chart



Product/tender specifications

Washplace

SET.WP.Insert1

Sink-faucet-sets

Item Number:

0637002000

Text

Washplace, rectangular, w/h/d 485/471/321 mm, glazed steel, white, ProShield, with one tap hole, without overflow, shelf cabinet right, frame, chrome steel, powder finish, white, inklusive fixing set, drain valve, valve cap, white glazed, Ø 63 mm, with single-lever basin mixer without pop-up waste, Matt black, projection 110 mm, tap height 160 mm, height to aerator 98 mm, spout rigid, circular, air-enriched flow, aerator adjustable -10° to +10°, flow rate max. 5 l/min, 2x screw-in M 10 x 1 pressure hose, leak-tested, connection thread 3/8", hole diameter 32 - 36 mm
