## **Alape**

## **Technical factsheet**



Basin for flush-mounted installation FB.K450 K series

Item Number: 2412701400

## **Characteristics**

Model description Item Number Material basin

Coating Dimensions Form Hole Overflow Net weight Mounting type FB.K450
2412701400
glazed steel
white
easy-care
w/h/d 421 mm/158 mm/421 mm
round
without tap hole
with overflow
2,8 kg
for installation from above

## Fittings information

Optimal impact on the basin mould with fittings that have a vertical outlet (90  $^{\circ}$  angle of impact) and a built-in aerator.

Impact area 96 mm - 156 mm from rear edge of basin

| <b>Alape</b> ~  |            |
|---|------------|
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
| Flow rate chart   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
| Product/tender specifications                               |            |
| Basin for flush-mounted installation<br>FB.K450<br>K series |            |
| Item Number:  | 2412701400 |
| Text  |            |



Basin for flush-mounted installation, for installation from above, round,  $\emptyset$  421 mm, height 158 mm, glazed steel, white, easy-care, without tap hole, with overflow, included overflow set

We reserve the right to change designs, product range and technical specifications without prior notice. More information can be found at: www.alape.com +49 (0) 5321 558-0 info@alape.com

Date 23.04.2024