## **Alape**

## **Technical factsheet**



Basin for flush-mounted installation into 30mm thick counter tops FB.KE325

**KE series (Unisono)** 

Item Number: 2413503000

## **Characteristics**

Model description Item Number Material basin

Dimensions Form Hole Overflow Net weight Mounting type FB.KE325 2413503000 glazed steel white

w/h/d 325 mm/104 mm/325 mm

round

without tap hole without overflow

4,1 kg

for installation from below

## Fittings information

Optimal impact on the basin mould with fittings that have a vertical outlet (90  $^{\circ}$  angle of impact) and a built-in aerator.

Impact area 95 mm - 130 mm from rear edge of basin

Alape	
Class rate about	
Flow rate chart	
Product/tender specifications	
Basin for flush-mounted installation into 30mm thick counter tops	
FB.KE325 KE series (Unisono)	
Item Number:	2413503000
Text	

Date 09.04.2024



Basin for flush-mounted installation into 30mm thick counter tops, for installation from below, round,  $\emptyset$  325 mm, height 104 mm, glazed steel, white, without tap hole, without overflow, included fixing set, drain valve, valve cap, chrome-plated

We reserve the right to change designs, product range and technical specifications without prior notice. More information can be found at: www.alape.com +49 (0) 5321 558-0 info@alape.com

Date 09.04.2024