
## **Alape**

## **Technical factsheet**



Basin for flush-mounted installation into 30mm thick counter tops FB.ST525H.R ST series (2step)

Item Number: 2462603401

## **Characteristics**

Model description Item Number Material basin

Coating Dimensions Form Hole Overflow Net weight Mounting type FB.ST525H.R 2462603401 glazed steel white antibacterial

w/h/d 525 mm/174 mm/400 mm

rectangular
with one tap hole
with overflow
12 kg

for installation from below

## Fittings information

Optimal impact on the basin mould with fittings that have a vertical outlet (90  $^{\circ}$  angle of impact) and a built-in aerator.

Impact area 120 mm - 200 mm from middle of tap hole

Alape	
Flow rate chart	
Product/tender specifications	
Basin for flush-mounted installation into 30mm thick counter tops	
FB.ST525H.R ST series (2step)	
Item Number:	2462603401
Text	

Date 06.05.2024



Basin for flush-mounted installation into 30mm thick counter tops, for installation from below, rectangular, w/h/d 525/174/400 mm, glazed steel, white, antibacterial, with one tap hole, centred behind mould, with overflow, included fixing set, overflow set

We reserve the right to change designs, product range and technical specifications without prior notice. More information can be found at: www.alape.com +49 (0) 5321 558-0 info@alape.com

Date 06.05.2024