## **Alape**

## **Technical factsheet**



Semi-recessed basin HB.K450 K series

Item Number: 2500000400

## **Characteristics**

Model description Item Number Material basin

Coating
Dimensions
Form
Hole
Overflow
Net weight
Mounting type

HB.K450 2500000400 glazed steel white easy-care w/h/d 450 mm/159 mm/450 mm round without tap hole with overflow 3,05 kg for installation from above

## Fittings information

Optimal impact on the basin mould with fittings that have a vertical outlet (90  $^{\circ}$  angle of impact) and a built-in aerator.

Impact area 110 mm - 170 mm from rear edge of basin

| <b>Alape</b>                               |            |
|--|------------|
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
| Flow rate chart                            |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
| Product/tender specifications              |            |
| Semi-recessed basin<br>HB.K450<br>K series |            |
| Item Number:                               | 2500000400 |
| Text                                       |            |



Semi-recessed basin, for installation from above, round,  $\emptyset$  450 mm, height 159 mm, glazed steel, white, easy-care, without tap hole, with overflow, included fixing set, overflow set

We reserve the right to change designs, product range and technical specifications without prior notice. More information can be found at: www.alape.com +49 (0) 5321 558-0 info@alape.com

Date 09.04.2024