# **Alape**

### **Technical factsheet**



Undermount basin UB.ME500 ME series (Metaphor)

Item Number: 3226704000

#### **Characteristics**

Model description Item Number Material basin

Coating
Dimensions
Form
Hole
Overflow
Net weight
Mounting type
Note

UB.ME500
3226704000
glazed steel
white
ProShield
w/h/d 494 mm/111 mm/369 mm
rectangular
without tap hole
with overflow

without tap hole with overflow 9,6 kg for installation from below


optimised for installation directly under the laminate layer of a coated counter top

#### Fittings information

Optimal impact on the basin mould with fittings that have a vertical outlet (90  $^\circ$  angle of impact) and a built-in aerator.

Impact area 112 mm - 157 mm from rear edge of basin





### Flow rate chart

## **Product/tender specifications**

Undermount basin
UB.ME500
ME series (Metaphor)
Item Number:

3226704000

Text



Undermount basin, for installation from below, rectangular, w/h/d 494/111/369 mm, glazed steel, white, ProShield, without tap hole, with overflow, fixing set, overflow set, optimised for installation directly under the laminate layer of a coated counter top

We reserve the right to change designs, product range and technical specifications without prior notice. More information can be found at: www.alape.com +49 (0) 5321 558-0 info@alape.com

Date 17.05.2024