# **Alape**

### **Technical factsheet**



Washstand WT.RE800H RE series (X.plicit)

Item Number: 4105000000

#### **Characteristics**

Model description Item Number Material basin

Coating Dimensions Form Hole Overflow Basin mould

Net weight Mounting type

#### Fittings information

Optimal impact on the basin mould with fittings that have a vertical outlet (90  $^{\circ}$  angle of impact) and a built-in aerator.

WT.RE800H 4105000000 glazed steel white ProShield w/b/d 800 mm/d

w/h/d 800 mm/110 mm/460 mm


rectangular
with one tap hole
without overflow
rectangular
centred

Bowl depth 330 mm

9,5 kg wall-hanging

Impact area 120 mm - 150 mm from middle of tap hole





#### Flow rate chart

## **Product/tender specifications**

Washstand WT.RE800H RE series (X.plicit) Item Number:

4105000000

Text



Washstand, wall-hanging, rectangular, w/h/d 800/110/460 mm, sink rectangular, centred, w/h/d 632/90/330 mm, glazed steel, white, ProShield, with one tap hole, centred behind mould, without overflow, included fixing set, drain valve, valve cap, white glazed, w/d 68/mm

We reserve the right to change designs, product range and technical specifications without prior notice. More information can be found at: www.alape.com +49 (0) 5321 558-0 info@alape.com

Date 29.04.2024