

## **Technical factsheet**



Design mirror SP.FR500.S1 Design mirror

Item Number: 6742001331

## **Characteristics**

Model description Item Number

Material miscellaneous

Dimensions Form Net weight Mounting type Bulbs

Energy efficiency class

Light control
Protection category
Protection rating

Note

SP.FR500.S1 6742001331 aluminium Powder coated matt white

w/h/d 500 mm/1000 mm/40 mm

rectangular 5,5 kg wall-hanging LED

E

Touch dimmer

! .\_


IP44

230V / 50Hz, max. 14W

indirect circumferential LED light, dimmable 14 watts, luminous colour: 4,000 Kelvin

Optimal impact on the basin mould with fittings that have a vertical outlet (90  $^{\circ}$  angle of impact) and a built-in aerator.





## Flow rate chart

## **Product/tender specifications**

Design mirror SP.FR500.S1 Design mirror

Item Number: 6742001331

Text



Design mirror, wall-hanging, rectangular, w/h/d 500/1000/40 mm, aluminium, matt white, Powder coated, indirect circumferential LED light, dimmable, 14 watts, luminous colour: 4,000 Kelvin, included fixing set, LED converter, touch switch and auxiliary function, without dowels (to be adjusted to constructional situation)

We reserve the right to change designs, product range and technical specifications without prior notice. More information can be found at: www.alape.com +49 (0) 5321 558-0 info@alape.com

Date 20.04.2024