

## **Technical factsheet**



**Design mirror** SP.FR500.S1 **Design mirror** 

Item Number: 6742001899

## **Characteristics**

Model description Item Number

Material miscellaneous

**Dimensions** Form Net weight Mounting type **Bulbs** 

Energy efficiency class

Light control Protection category Protection rating

Note

SP.FR500.S1 6742001899 aluminium Powder coated matt black w/h/d 500 mm/1000 mm/40 mm

rectangular 5,5 kg wall-hanging **LED** 

Ε

Touch dimmer


IP44

230V / 50Hz, max. 14W

indirect circumferential LED light, dimmable 14 watts, luminous colour: 4,000 Kelvin

Optimal impact on the basin mould with fittings that have a vertical outlet (90° angle of impact) and a built-in aerator.





## Flow rate chart

## **Product/tender specifications**

Design mirror SP.FR500.S1 Design mirror

Item Number: 6742001899

Text



Design mirror, wall-hanging, rectangular, w/h/d 500/1000/40 mm, aluminium, matt black, Powder coated, indirect circumferential LED light, dimmable, 14 watts, luminous colour: 4,000 Kelvin, included fixing set, LED converter, touch switch and auxiliary function, without dowels (to be adjusted to constructional situation)

We reserve the right to change designs, product range and technical specifications without prior notice. More information can be found at: www.alape.com +49 (0) 5321 558-0 info@alape.com