# Alape<sup>®</sup>

### **Technical factsheet**



**Design mirror** SP.FR600.R1 **Design mirror** 

Item Number: 6744001331

#### **Characteristics**

Model description Item Number

Material miscellaneous

**Dimensions** Form Net weight Mounting type Bulbs

Energy efficiency class

Light control

Protection category

Protection rating

Note

SP.FR600.R1 6744001331 aluminium Powder coated matt white

w/h/d 600 mm/600 mm/40 mm

round 8 kg

wall-hanging

**LED** Ε

Touch dimmer


IP44

230V / 50Hz, max. 9.3W

indirect circumferential LED light, dimmable 9.3 watts, luminous colour: 4,000 Kelvin

Optimal impact on the basin mould with fittings that have a vertical outlet (90 ° angle of impact) and a built-in aerator.







#### Flow rate chart

## **Product/tender specifications**

Design mirror SP.FR600.R1 Design mirror

Item Number: 6744001331

Text



Design mirror, wall-hanging, round, w/h/d 600/600/40 mm, aluminium, matt white, Powder coated, indirect circumferential LED light, dimmable, 9.3 watts, luminous colour: 4,000 Kelvin, included fixing set, LED converter, touch switch and auxiliary function, without dowels (to be adjusted to constructional situation)

We reserve the right to change designs, product range and technical specifications without prior notice. More information can be found at: www.alape.com +49 (0) 5321 558-0 info@alape.com

Date 03.05.2024