Alape

Technical factsheet



Design mirror SP.FR1000.R1 Design mirror

Item Number: 6746001899

Characteristics

Model description Item Number

Material miscellaneous

Dimensions
Form
Net weight
Mounting type
Bulbs
Energy efficience

Energy efficiency class Light control

Protection category Protection rating

Note

SP.FR1000.R1 6746001899 aluminium Powder coated matt black w/b/d 1000 mm/10

w/h/d 1000 mm/1000 mm/40 mm

round 5,5 kg wall-hanging LED

E

Touch dimmer

ı


IP44

230V / 50Hz, max. 15W

indirect circumferential LED light, dimmable 15 watts, luminous colour: 4,000 Kelvin

Optimal impact on the basin mould with fittings that have a vertical outlet (90 $^{\circ}$ angle of impact) and a built-in aerator.







Flow rate chart

Product/tender specifications

Design mirror SP.FR1000.R1 Design mirror Item Number:

6746001899

Text



Design mirror, wall-hanging, round, w/h/d 1000/1000/40 mm, aluminium, matt black, Powder coated, indirect circumferential LED light, dimmable, 15 watts, luminous colour: 4,000 Kelvin, included fixing set, LED converter, touch switch and auxiliary function, without dowels (to be adjusted to constructional situation)

We reserve the right to change designs, product range and technical specifications without prior notice. More information can be found at: www.alape.com +49 (0) 5321 558-0 info@alape.com

Date 03.05.2024